

**2026 Annual MS4 Report - General Information**Report Status: **Submitted**Permittee: **CHAMBERSBURG BORO FRANKLIN CNTY** | NPDES Permit No.: **PAG133704**

Facility Name: **MS4 CHAMBERSBURG BORO**
Facility Address: **100 S 2ND ST, CHAMBERSBURG, PA, 17201-2515**
Facility ID: **757157**
County: **Franklin**
Municipality: **Chambersburg Boro**
Effective Date: **06/01/2018**
Expiration Date:
Renewal Due Date:

MS4 Contact: **ANDREW STOTTLEMYER**
Title: **STORM SEWER MGR**
Phone: **717-251-2434**
Email: **astottlemyer@chambersburgpa.gov**

MS4 Report (Current Version)**Water Quality Information Module** Are there any discharges to waters within the Chesapeake Bay Watershed? **Yes**

Identify all surface waters that receive stormwater discharges from the permittee's MS4 and provide the requested information.

Receiving Water Name	Ch. 93 Class	Impaired	Cause(s)	TMDL	WLA
Conococheague Creek	WWF, MF	No		No	No
Falling Spring Creek	TSF, MF	No		No	No

General Minimum Control Measure (MCM) Information Module Have you completed all MCM activities required by the permit for this reporting period? **Yes**

List the current entity responsible for implementing each MCM of your SWMP, along with contact names and phone numbers.

MCM	Entity Responsible	Contact Name	Phone Number
#1 Public Education and Outreach on Stormwater Impacts	Borough of Chambersburg	Andrew Stottlemyer	717-251-2434
#2 Public Involvement / Participation	Borough of Chambersburg	Andrew Stottlemyer	717-251-2434
#3 Illicit Discharge Detection and Elimination (IDD&E)	Borough of Chambersburg	Andrew Stottlemyer	717-251-2434
#4 Construction Site Stormwater Runoff Control	Franklin County Conservation District	Brady Byers	717-264-5499

#5 Post-Construction Stormwater Management in New Development and Redevelopment	Borough of Chambersburg	Andrew Stottlemeyer	717-251-2434
#6 Pollution Prevention / Good Housekeeping	Borough of Chambersburg	Andrew Stottlemeyer	717-251-2434

MCM #1 – Public Education & Outreach on Stormwater Impacts Module

BMP #1: Develop, implement and maintain a written Public Education and Outreach Program.

1. For new permittees only, has the written PEOP been developed and implemented within the first year of permit coverage? **Yes**

2. Date of latest annual review of PEOP: **01/30/2026** Were updates made? **No**

3. What were the plans and goals for public education and outreach for the reporting period?

To continue to build on the elementary education program that is currently in-place. Last year the Storm Sewer Utility conducted educational presentations at 6 different schools which included 335 students.

4. Did the MS4 achieve its goal(s) for the PEOP during the reporting period? **Yes**

5. Identify specific plans and goals for public education and outreach for the upcoming year:

To continue to build on the elementary education program that is currently in-place. Last year the Storm Sewer Utility conducted educational presentations at 9 different schools which included 372 students.

BMP #2: Develop and maintain lists of target audience groups present within the areas served by your MS4.

1. For new permittees only, have the target audience lists been developed and implemented within the first year of permit coverage? **Yes**

2. Date of latest annual review of target audience lists: **01/30/2026** Were updates made? **No**

BMP #3: Annually publish at least one educational item on your Stormwater Management Program.

1. For new permittees only, were stormwater educational and informational items produced and published in print and/or on the Internet within the first year of permit coverage? **Yes**

2. Date of latest annual review of educational materials: **01/30/2026** Were updates made? **No**

3. Do you have a municipal website? **Yes**

URL: **<https://www.chambersburgpa.gov>**

• If **Yes**, what MS4-related material does it contain?

TRANSPARENCY- December 16, 2025 Educational Presentation for Single-Family Residential property owners, PA Department of Environmental Protection Healthy Waters, Healthy Communities, MS4 Annual Report: July 1, 2024 to June 30, 2025, Storm Sewer Utility Rate Structure and Credit Program, Rhodes Drive Reconstruction and Bio-Retention Basin, Project Highlight: Borough of Chambersburg's Rhodes Drive Reconstruction and Bio-Retention Basin, Chambersburg Officials Celebrate the Completion of

Rhodes Drive Project, Chambersburg Celebrates Road, Stormwater Improvements, Borough of Chambersburg Chesapeake Bay Pollutant Reduction Plan, 2019 Stormwater Public Meeting, Please Keep Grass Clippings Out of Storm Drains, When It Rains It Drains, Press Release: Chambersburg Receives Storm Water Grant from Chesapeake Bay Trust, StormwaterPA, Let's Be Stormwater Smart Video, Chesapeake Bay Pollutant Reduction Plan- Final Report, STORM SEWER UTILITY DEPARTMENT- Town Council Presentation 10-13-2025, Storm Sewer Management Program Credit Policy Manual, Be the Solution: Conservation BMPs and Nutrient Reductions, Management of Swimming Pool, Hot Tub, and Spa Water Discharges, When It Rains It Drains, Pennsylvania Department of Environmental Protection Stormwater Management, StormwaterPA, Please Keep Grass Clippings Out of Storm Drains, Chesapeake Stormwater Network, Alliance for the Chesapeake Bay, EPA Stormwater Program, Franklin County Conservation District, Urban Runoff Fact Sheet, Chesapeake Bay Trust, Franklin County Conservation District Conococheague Creek Priority Projects Plan

4. Describe any other method(s) used during the reporting period to provide information on stormwater to the public:

Numerous press releases were circulated informing the public about storm sewer related projects. The Borough conducted presentations at 9 different schools and included 372 students. A presentation was given on December 16, 2025 and was for single family residential property owners. An educational sign was installed as part of the Chambersburg Rail Trail Stormwater Improvement project. Program related tasks, goals, and milestones were all discussed at a Borough Council meeting that was held on October 13, 2025. A presentation was given to new council members on January 12, 2026.

5. Identify specific plans for the publication of stormwater materials for the upcoming year:

Information will continue to be published on the Borough webpage and distributed to property owners regarding upcoming construction projects. We will also continue to provide information that relates to stormwater at public meetings throughout the year.

BMP #4: Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

Earlier this year we installed stormwater educational wraps on two Borough-owned vehicles. We installed an educational sign at a recently constructed project where grant funding was received.

MCM #1 Comments:

MCM #1 Attachments:

File Name	Document Type	Short Description
Storm Sewer Utility Council 10-13-2025.pdf	Public Education and Outreach Program Plan	October 13, 2025 Council presentation
Council Storm Sewer Utility 1-12-2026.pdf	Public Education and Outreach Program Plan	January 12, 2026 Council presentation
Corpus Christi February 25, 2026.pdf	Public Education and Outreach Program Plan	Corpus Christi Elementary presentation
F-250 Vehicle Wrap.jpg	Public Education and Outreach Program Plan	F-250 Wrap

MCM #2 – Public Involvement/Participation Module



BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)

1. For new permittees only, was the PIPP developed and implemented within one year of permit coverage?

Yes

2. Date of latest annual review of PIPP: **01/30/2026** Were updates made? **No**

BMP #2: Advertise to the public and solicit public input on ordinances, SOPs, Pollutant Reduction Plans (PRPs) (if applicable) and TMDL Plans (if applicable), including modifications thereto, prior to adoption or submission to DEP:

1. Was an MS4-related ordinance, SOP, PRP or TMDL Plan developed during the reporting period? **No**
2. If **Yes**, describe how you advertised the draft document(s) and how you provided opportunities for public review, input and feedback:
3. If an ordinance, SOP or plan was developed or amended during the reporting period, provide the following information:

Ordinance/SOP/Plan Name	Date of Public Notice	Date of Public Hearing	Date Enacted or Submitted to DEP
No data available in table			

BMP #3: Regularly solicit public involvement and participation from the target audience groups using available distribution and outreach methods.

1. At least one public meeting or other MS4 event must be held during the 5-year permit coverage period to solicit participation and feedback from target audience groups. Was this meeting or event held during the reporting period? **Yes**
- If **Yes**, Date of Meeting or Event: **12/16/2025**
2. Report instances of cooperation and participation in MS4 activities; presentations the permittee made to local watershed and conservation organizations; and similar instances of participation or coordination with organizations in the community.
- Approximately 21 people attended the December 16, 2025 Storm Sewer Utility presentation. The Borough will continue to be involved with meetings of the Franklin County Watershed Association.**
3. Report activities in which members of the public assisted or participated in the meetings and in the implementation of the SWMP, including education activities or efforts such as cleanups, monitoring, storm drain stenciling, or others.
- Members of the public participated in the December 16, 2025 Single Family Residential property owner presentation as well as the Storm Sewer Utility presentations on October 13, 2025 AND January 12, 2026.**

MCM #2 Comments:

MCM #2 Attachments:

File Name	Document Type	Short Description
Council Storm Sewer Utility 1-12-2026.pdf	Stormwater Educational Materials	January 12, 2026 Presentation

MCM #3 – Illicit Discharge Detection and Elimination (IDD&E)

BMP #1: Develop and implement a written program for the detection, elimination, and prevention of illicit discharges into the regulated small MS4.

1. For new permittees only, was the written IDD&E program developed within one year of permit coverage? **Yes**

2. Date of latest annual review of IDD&E program:

01/30/2026

Were updates made?

No

BMP #2: Develop and maintain map(s) that show permittee and urbanized area boundaries, the location of all outfalls and, if applicable, observation points, and the locations and names of all surface waters that receive discharges from those outfalls. Outfalls and observation points shall be numbered on the map(s).

1. Have you completed a map(s) that includes all components of BMP #2?

Yes

If **Yes** and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If **No**, date by which permittee expects map(s) to be completed:

2. Date of last update or revision to map(s):

06/30/2026

3. Total No. of Outfalls in MS4:

141

Total No. of Outfalls Mapped:

141

4. Total No. of Observation Points:

53

Total No. of Observation Points Mapped:

53

5. During the reporting period, have you identified any existing outfalls that have not been previously reported to DEP in an NOI, application or annual report, or are any new MS4 outfalls proposed for the next reporting period?

No

If **Yes**, select:

Existing Outfall(s) Identified

New Outfall(s) Proposed

BMP #3: In conjunction with the map(s) created under BMP #2 (either on the same map or on a different map), the permittee shall develop and maintain map(s) that show the entire storm sewer collection system within the permittee's jurisdiction that are owned or operated by the permittee (including roads, inlets, piping, swales, catch basins, channels, and any other components of the storm sewer collection system), including privately-owned components of the collection system where conveyances or BMPs on private property receive stormwater flows from upstream publicly-owned components.

1. Have you completed a map(s) that includes all components of BMP #3?

Yes

If **Yes** and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If **No**, date by which permittee expects map(s) to be completed:

2. If **Yes** to #1, is the map(s) on the same map(s) as for outfalls and receiving waters?

Yes

3. Date of last update or revision to map(s):

06/30/2026

BMP #4: Conduct dry weather screenings of MS4 outfalls to evaluate the presence of illicit discharges. If any illicit discharges are present, the permittee shall identify the source(s) and take appropriate actions to remove or correct any illicit discharges. The permittee shall also respond to reports received from the public or other agencies of suspected or confirmed illicit discharges associated with the storm sewer system, as well as take enforcement action as necessary. The permittee shall immediately report to DEP illicit discharges that would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property.

For new permittees, all identified outfalls (and if applicable observation points) must be screened during dry weather at least twice within the 5-year period following permit coverage. For existing permittees, all identified outfalls (and if applicable observation points) must be screened during dry weather at least once within the 5-year period following permit coverage and, for areas where past problems have been reported or known sources of dry weather flows occur on a continual basis, outfalls must be screened annually during each year of permit coverage.

1. How many unique outfalls (and if applicable observation points) were screened during the reporting period?

0

2. Indicate the percentage of all outfalls screened in the past five years.

100 %

3. Indicate the percent of outfalls screened during the reporting period that revealed dry weather flows: **N/A %**

4. Did any dry weather flows reveal color, turbidity, sheen, odor, floating or submerged solids? **No**

5. If **Yes** for #4, attach all sample results to this report with a map identifying the sample location. Explain the corrective action(s) taken in the attachment.

6. Do you use the MS4 Outfall Field Screening Report form (**3800-FM-BCW0521**) (<https://greenport.pa.gov/elibrary/GetFolder?FolderID=2740>), provided in the permit? **Yes**

If **No**, attach a copy of your screening report form.

BMP #5: Enact a Stormwater Management Ordinance or SOP to implement and enforce a stormwater management program that includes prohibition of non-stormwater discharges to the regulated small MS4.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that prohibits non-stormwater discharges? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
06/20/2004	Borough of Chambersburg

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j) with respect to authorized non-stormwater discharges? **Yes**

If **Yes** to #1 and the ordinance or SOP has not been submitted to DEP previously, attach the ordinance or SOP.

3. Were there any violations of the ordinance or SOP during the reporting period? **No**

If **Yes** to #3, complete the table below (attach additional sheets as necessary).

Violation Date	Nature of Violation	Responsible Party	Enforcement Taken
No data available in table			

4. Did you approve any waiver or variance during the reporting period that allowed an exception to non-stormwater discharge provisions of an ordinance or SOP? **No**

If **Yes** to #4, identify the entity that received the waiver or variance and the type of non-stormwater discharge approved.

BMP #6: Provide educational outreach to public employees, business owners and employees, property owners, the general public and elected officials (i.e., target audiences) about the program to detect and eliminate illicit discharges.

1. Was IDD&E-related information distributed to public employees, businesses, and the general public during the reporting period? **Yes**

If **Yes**, what was distributed?

Elementary school presentations on November 18, 2025, January 13, 2026, February 3, 2026, February 5, 2026, February 10, 2026, February 25, 2026, March 10, 2026, March 27, 2026, May 7, 2026. Borough of Chambersburg HR Newsletter article; 3rd quarter 2025.

2. Is there a well-publicized method for employees, businesses and the public to report stormwater pollution incidents? **Yes**

3. Do you maintain documentation of all responses, action taken, and the time required to take action? **Yes**

MCM #3 Comments:

MCM #3 Attachments:

File Name	Document Type	Short Description
3rd Quarter Newsletter.pdf	Public Education and Outreach Program Plan	Crossroads newsletter article
2025 Annual Report.pdf	Public Education and Outreach Program Plan	2025 Annual Report
Education Career Speakers.pdf	Public Education and Outreach Program Plan	High school presentation
Shalom Christian Academy.pdf	Public Education and Outreach Program Plan	Elementary school presentation
Storm Sewer Public Meeting flyer FINAL.pdf	Public Education and Outreach Program Plan	Public meeting

MCM #4 – Construction Site Stormwater Runoff Control

Are you relying on PA's statewide program for stormwater associated with construction activities to satisfy this MCM? **Yes**

(If **Yes**, respond to questions for BMP Nos. 1, 2 and 3 only in this section. If No, respond to questions for all BMPs in this section)

BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)

During the reporting period, did you comply with 25 Pa. Code § 102.43 (relating to withholding building or other permits or approvals until DEP or a county conservation district (CCD) has approved NPDES permit coverage)? Note: If no building permit applications were received you may select Not Applicable. **Yes**

BMP #2: A municipality or county which issues building or other permits shall notify DEP or the applicable CCD within 5 days of the receipt of an application for a permit involving an earth disturbance activity consisting of one acre or more, in accordance with 25 Pa. Code § 102.42.

During the reporting period, did you comply with 25 Pa. Code § 102.42 (relating to notifying DEP/CCD within 5 days of receiving an application involving an earth disturbance activity of one acre or more)? Note: If no building permit applications were received you may select Not Applicable. **Yes**

BMP #3: Enact, implement and enforce an ordinance or SOP to require the implementation and maintenance of E&S control BMPs, including sanctions for non-compliance, as applicable.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of E&S control BMPs? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance Borough/Township Name?

06/20/2004 **Borough of Chambersburg**

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #4: Review Erosion and Sediment (E&S) control plans to ensure that such plans adequately consider water quality impacts and meet regulatory requirements.

Specify the number of E&S Plans you reviewed during the reporting period:

Not Applicable

BMP #5: Conduct inspections regarding installation and maintenance of E&S control measures during earth disturbance activities. Maintain records of site inspections, including dates and inspection results, in accordance with the record retention requirements in this permit.

Specify the number of E&S inspections you completed during the reporting period:

Not Applicable

BMP #6: Conduct enforcement when installation and maintenance of E&S control measures during earth disturbance activities does not comply with permit and/or regulatory requirements.

Specify the number of enforcement actions you took during the reporting period for improper E&S:

Not Applicable

BMP #7: Develop and implement requirements for construction site operators to control waste at construction sites that may cause adverse impacts to water quality. The permittee shall provide education on these requirements to construction site operators.

Specify the method(s) by which you are educating construction site operators on controlling waste at construction sites:

Not Applicable

BMP #8: Develop and implement procedures for the receipt and consideration of public inquiries, concerns, and information submitted by the public to the permittee regarding local construction activities.

1. A tracking system has been established for receipt of public inquiries and complaints.

Not Applicable

2. Specify the number of inquiries and complaints received during the reporting period:

Not Applicable

MCM #4 Comments:

MCM #4 Attachments:

File Name	Document Type	Short Description
Chapter 251.pdf	Stormwater Ordinance	Stormwater ordinance
Construction Site Stormwater Runoff Control.pdf	MCM 4 MOU	MCM 4 MOU

MCM #5 – Post-Construction Stormwater Management in New Development & Redevelopment Module

BMP #1: Enact, implement and enforce an ordinance or SOP to require post-construction stormwater management from new development and redevelopment projects, including sanctions for non-compliance.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of post-construction stormwater management (PCSM) BMPs? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
06/20/2004	Borough of Chambersburg

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j)?

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

No

BMP #2: Develop and implement measures to encourage and expand the use of Low Impact Development (LID) in new development and redevelopment. Measures should also be included to encourage retrofitting LID into existing development. Enact ordinances consistent with LID practices and repeal sections of ordinances that conflict with LID practices.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that encourages and expands the use of LID in new development and redevelopment?

If **Yes**, indicate the date of the ordinance or SOP:

No

Date of the Ordinance	Borough/Township Name?
No data available in table	

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j)?

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

No

BMP #3: Ensure adequate O&M of all post-construction stormwater management BMPs that have been installed at development or redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale.

1. Do you have an inventory of all PCSM BMPs that were installed to meet requirements in NPDES Permits for Stormwater Discharges Associated with Construction Activities approved since March 10, 2003?

If **Yes** to #1, complete PCSM BMP Inventory Table below.

Table 1. To complete the information needed for MCM #5, BMP #3, list all existing structural BMPs that discharge stormwater to the permittee's MS4 that were installed to satisfy PCSM requirements for earth disturbance activities under Chapter 102, and provide the requested information.

Note: Any BMP data entered/uploaded will be prepopulated in the next reporting year.

You may enter your BMPs manually or upload them using our template. Click the File Upload bar to download the PCSM BMP template and upload your inventory.

Yes

Showing 10 Entries/Page

[Delete All](#)

[Download](#)

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
1	Dry Detention Basin	01/01/1997	04/21/2022	✓	Yes	
2	Dry Detention Basin	01/01/1901	05/09/2022	✓	Yes	
3	Dry Detention Basin	06/18/1905	05/05/2022	✓	Yes	
4	Dry Detention Basin	06/14/1905	05/09/2022	✓	Yes	
5	Dry Detention Basin	06/17/1905	05/09/2022	✓	Yes	
6	Dry Detention Basin	01/01/1901	05/09/2022	✓	Yes	
7	Dry Detention Basin	06/19/1905	03/21/2022	✓	Yes	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Action
8	Dry Detention Basin	06/06/1905	03/21/2022	✓	Yes	
9	Dry Detention Basin	06/14/1905	05/09/2022	✓	Yes	
10	Dry Detention Basin	06/17/1905	05/09/2022	✓	Yes	
1 - 10 of 146 Entries				Previous 1 2 3 4 5 ... 15 Next		

Table 1. To complete the information needed for MCM #5, BMP #3, list all existing structural BMPs that discharge stormwater to the permittee's MS4 that were installed to satisfy PCSM requirements for earth disturbance activities under Chapter 102, and provide the requested information.

Note: Any BMP data entered/uploaded will be prepopulated in the next reporting year.

You may enter your BMPs manually or upload them using our template. Click the File Upload bar to download the PCSM BMP template and upload your inventory.

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
1	Dry Detention Basin	01/01/1997	04/21/2022	✓	Yes	39.91079	-77.66921	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Harrisburg PA Warehouse LLC		Yes		N/A				
2	Dry Detention Basin	01/01/1901	05/09/2022	✓	Yes	39.90986	-77.66789	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Mayor and Town Council of the Borough of Chambersburg		Yes		N/A				
3	Dry Detention Basin	06/18/1905	05/05/2022	✓	Yes	39.9111	-77.66527	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
1445 Sheffler Drive LP		Yes		N/A				
4	Dry Detention Basin	06/14/1905	05/09/2022	✓	Yes	39.91008	-77.65833	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Guarriello Limited Partnership		Yes		N/A				
5	Dry Detention Basin	06/17/1905	05/09/2022	✓	Yes	39.90993	-77.65623	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Chambersburg Cold Storage LP		Yes		N/A				
6	Dry Detention Basin	01/01/1901	05/09/2022	✓	Yes	39.91077	-77.65498	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Guarriello Limited Partnership		Yes		N/A				
7	Dry Detention Basin	06/19/1905	03/21/2022		Yes	39.91081	-77.65382	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Weis Markets Incorporated		Yes		N/A				
8	Dry Detention Basin	06/06/1905	03/21/2022		Yes	39.91028	-77.64962	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Charr LLC, C/O Plamondon Companies		Yes		N/A				
9	Dry Detention Basin	06/14/1905	05/09/2022		Yes	39.91533	-77.66486	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Greenwald Rentals		Yes		N/A				
10	Dry Detention Basin	06/17/1905	05/09/2022		Yes	39.9161	-77.66432	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Sheffler Drive Partners		Yes		N/A				
11	Dry Detention Basin	06/30/1905	05/25/2022		Yes	39.91452	-77.67277	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Greencastle Townhomes 1 LLC		Yes		N/A				
12	Dry Detention Basin	01/01/1901	03/15/2022		Yes	39.9152	-77.67342	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
BH 36 LLC		Yes		N/A				
13	Dry Detention Basin	06/30/1905	05/05/2022		Yes	39.91312	-77.67006	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Orchard Apartments II LLC		Yes		N/A				
14	Dry Detention Basin	06/30/1905	05/05/2022		Yes	39.911781	-77.66655	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Orchard Park Commons LP	Yes		N/A				
15	Dry Detention Basin	07/01/1905	05/09/2022	✓	Yes	39.91469	-77.66487	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Orchard Road Investments LLC	Yes		N/A				
16	Dry Detention Basin	06/21/1905	05/09/2022	✓	Yes	39.91844	-77.66322	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	WIPRO Enterprises Inc.	Yes		N/A				
17	Dry Detention Basin	06/29/1905	05/09/2022	✓	Yes	39.91256	-77.66123	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Area Development Corporation	Yes		N/A				
18	Dry Detention Basin	01/01/1901	05/05/2022	✓	Yes	39.91145	-77.6693	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Harrisburg PA Warehouse LLC	Yes		N/A				
19	Dry Detention Basin	06/21/1905	01/01/2001	✓	Yes	39.90807	-77.66827	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Olympic Steel Incorporated	Yes		N/A	Not in Borough			
20	Dry Detention Basin	06/20/1905	05/09/2022	✓	Yes	39.90778	-77.65688	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Prologis NA3 PA III LP	Yes		N/A				
21	Dry Detention Basin	06/29/1905	05/09/2022	✓	Yes	39.90988	-77.66601	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Industrial Sheffler Land LLC	Yes		N/A				
22	Dry Detention Basin	06/15/1905	05/05/2022	✓	Yes	39.91352	-77.66759	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Grisold Family Holdings LLC	Yes		N/A				
23	Dry Detention Basin	06/18/1905	05/09/2022	✓	Yes	39.91079	-77.65966	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Dawson Logistics Assets LLC	Yes		N/A				
24	Dry Detention Basin	06/16/1905	05/09/2022	✓	Yes	39.90962	-77.65976	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Pool 3 Industrial PA LLC	Yes		N/A				
25	Dry Detention Basin	06/16/1905	05/09/2022	✓	Yes	39.90974	-77.66378	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Pool 3 Industrial PA LLC	Yes		N/A				
26	Dry Detention Basin	06/18/1905	05/09/2022	✓	Yes	39.91092	-77.66317	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Dawson Logistics Assets LLC	Yes		N/A				
27	Dry Detention Basin	06/17/1905	05/05/2022	✓	Yes	39.91306	-77.66496	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	SC Shatzer Properties	Yes		N/A				
28	Dry Detention Basin	06/19/1905	05/09/2022	✓	Yes	39.90941	-77.66681	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Area Development Corporation	Yes		N/A				
29	Dry Detention Basin	06/20/1905	05/09/2022	✓	Yes	39.90666	-77.65663	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Prologis NA3 PA III LP	Yes		N/A				
30	Dry Detention Basin	01/01/1901	05/05/2022	✓	Yes	39.91285	-77.66695	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Hospital	Yes		N/A				
31	Dry Detention Basin	07/04/1905	05/09/2022	✓	Yes	39.91572	-77.66226	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Wilsey/Holsum LLC C/O Ventura Food LLC	Yes		N/A				
32	Dry Detention Basin	01/01/1901	05/05/2022	✓	Yes	39.91187	-77.66967	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Marsha K. Eisenhuth	Yes		N/A				
33	Dry Detention Basin	01/01/1901	05/09/2022	✓	Yes	39.91322	-77.65848	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Guarriello Limited Partnership	Yes		N/A				
34	Dry Detention Basin	06/16/1905	05/09/2022	✓	Yes	39.9124	-77.66272	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Orchard's Restaurant	Yes		N/A				
35	Dry Detention Basin	01/01/1901	05/09/2022	✓	Yes	39.9097	-77.65388	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Prologis NA3 PA III LP	Yes		N/A				
36	Dry Detention Basin	01/01/1901	01/01/2001	✓	Yes	39.90662	-77.66668	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Cabot III- PA2B01 LP	Yes		N/A	Not in Borough			
37	Dry Detention Basin	01/01/1901	01/01/2001	✓	Yes	39.90618	-77.65913	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Farmers and Merchants Trust Company of Chambersburg	Yes		N/A	Not in Borough			
38	Dry Detention Basin	01/01/1901	01/01/2001	✓	Yes	39.90563	-77.65745	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Farmers and Merchants Trust Company of Chambersburg		Yes		N/A	Not in Borough			
39	Dry Detention Basin	06/10/1905	05/05/2022		Yes	39.91304	-77.67181	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Bowery Pet Supplies/Orchard Apartments LLC		Yes		N/A				
40	Dry Detention Basin	07/13/1905	05/09/2022		Yes	39.91161	-77.67366	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Progress Village Homeowners Association Inc		Yes		N/A				
41	Dry Detention Basin	07/13/1905	05/09/2022		Yes	39.91161	-77.67312	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Progress Village Homeowners Association Inc		Yes		N/A				
42	Dry Detention Basin	07/12/1905	05/05/2022		Yes	39.91131	-77.67181	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Progress Village Homeowners Association Inc		Yes		N/A				
43	Dry Detention Basin	06/27/1905	05/05/2022		Yes	39.9211	-77.6762	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Channing Drive LLC		Yes		N/A				
44	Dry Detention Basin	06/27/1905	05/05/2022		Yes	39.9208	-77.67554	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Vector Development LP		Yes		N/A				
45	Dry Detention Basin	07/01/1905	05/25/2022		Yes	39.92077	-77.67084	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Thomas B. Mongold		Yes		N/A				
46	Dry Detention Basin	06/25/1905	03/21/2022	✓	Yes	39.91524	-77.65677	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Shanri Holdings		Yes		N/A				
47	Dry Detention Basin	01/01/1901	05/05/2022	✓	Yes	39.92284	-77.6721	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Franklin Metal Service		Yes		N/A				
48	Dry Detention Basin	06/29/1905	03/15/2022	✓	Yes	39.91662	-77.65873	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Patriot Federal Credit Union		Yes		N/A				
49	Dry Detention Basin	06/22/1905	05/26/2022	✓	Yes	39.91187	-77.66967	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Catherine Haines		Yes		N/A				
50	Dry Detention Basin	07/08/1905	03/16/2022	✓	Yes	39.92126	-77.66855	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Jeal Properties		Yes		N/A				
51	Dry Detention Basin	07/11/1905	05/09/2022	✓	Yes	39.92091	-77.6421	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Borough of Chambersburg - Aquatic Center		Yes		N/A				
52	Dry Detention Basin	01/01/1901	05/20/2022	✓	Yes	39.9196	-77.64812	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg Bible Church LLC		Yes		N/A				
53	Dry Detention Basin	06/12/1905	03/21/2022	✓	Yes	39.92508	-77.67003	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Luberski Incorporated		Yes		N/A				
54	Dry Detention Basin	06/23/1905	03/21/2022		Yes	39.92507	-77.67123	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Rodney B. and Sharon K. Smith		Yes		N/A				
55	Dry Detention Basin	06/23/1905	03/21/2022		Yes	39.92464	-77.67183	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Ralph Tolbert		Yes		N/A				
56	Dry Detention Basin	07/02/1905	03/15/2022		Yes	39.93043	-77.66894	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg Family Townhomes		Yes		N/A				
57	Dry Detention Basin	01/01/1901	03/21/2022		Yes	39.92439	-77.66379	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
New Franklin Properties LLC		Yes		N/A				
58	Dry Detention Basin	01/01/1901	05/23/2022		Yes	39.93556	-77.66966	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Ippoliti LLC		Yes		N/A				
59	Dry Detention Basin	06/24/1905	05/24/2022		Yes	39.94291	-77.66741	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Children's Aid Society		Yes		N/A				
60	Dry Detention Basin	07/11/1905	05/24/2022		Yes	39.94209	-77.66647	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Children's Aid Society		Yes		N/A				
61	Dry Detention Basin	01/01/1901	05/23/2022		Yes	39.95428	-77.64983	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Menno Haven Penn Inc		Yes		N/A				
62	Dry Detention Basin	06/19/1905	05/25/2022	✓	Yes	39.96037	-77.63626	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Menno-Haven Incorporated		Yes		N/A				
63	Dry Detention Basin	01/01/1901	03/15/2022	✓	Yes	39.95679	-77.63226	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Nicholson Square Village Community Association Incorporated		Yes		N/A				
64	Dry Detention Basin	01/01/1901	03/15/2022	✓	Yes	39.95664	-77.63275	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Nicholson Square Village Community Association Incorporated		Yes		N/A				
65	Dry Detention Basin	07/10/1905	05/25/2022	✓	Yes	39.95843	-77.63331	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Menno Haven Restore		Yes		N/A				
66	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/09/2022	✓	Yes	39.91387	-77.66214	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Wilsey/Holsum LLC C/O Ventura Food LLC		Yes		N/A				
67	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/09/2022	✓	Yes	39.91419	-77.66221	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Wilsey/Holsum LLC C/O Ventura Food LLC		Yes		N/A				
68	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/09/2022	✓	Yes	39.91435	-77.66266	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Wilsey/Holsum LLC C/O Ventura Food LLC		Yes		N/A				
69	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/09/2022		Yes	39.91527	-77.66253	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Wilsey/Holsum LLC C/O Ventura Food LLC		Yes		N/A				
70	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	03/15/2022		Yes	39.91556	-77.67261	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Women In Need		Yes		N/A				
71	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	03/15/2022		Yes	39.91563	-77.67233	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Women In Need		Yes		N/A				
72	Bioretention - Raingarden (A/B soils w/o underdrain)	07/10/1905	05/05/2022		Yes	39.91689	-77.66946	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
BDR Real Estate		Yes		N/A				
73	Bioretention - Raingarden (A/B soils w/o underdrain)	07/10/1905	05/05/2022		Yes	39.91532	-77.6697	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
BDR Real Estate		Yes		N/A				
74	Bioretention - Raingarden (A/B soils w/o underdrain)	01/01/1901	01/01/2001		Yes	39.90716	-77.65885	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Farmers and Merchants Trust Company of Chambersburg		Yes		N/A	Not in Borough			
75	Bioretention - Raingarden (A/B soils w/o underdrain)	07/10/1905	03/15/2022		Yes	39.91528	-77.67297	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	BH 36 LLC (Progress Road Garden Apartments)	Yes		N/A				
76	Bioretention - Raingarden (A/B soils w/o underdrain)	07/11/1905	05/05/2022	✓	Yes	39.91319	-77.67416	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	BH 36 LLC (Orchard Drive Garden Apartments)	Yes		N/A				
77	Bioretention - Raingarden (A/B soils w/o underdrain)	07/11/1905	05/05/2022	✓	Yes	39.91385	-77.67384	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	BH 36 LLC (Orchard Drive Garden Apartments)	Yes		N/A				
78	Bioretention - Raingarden (A/B soils w/o underdrain)	07/11/1905	03/21/2022	✓	Yes	39.91116	-77.65007	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	2033 Chambersburg LLC / Paragon Leasing LLC (Wendys / Starbucks shared)	Yes		N/A				
79	Bioretention - Raingarden (A/B soils w/o underdrain)	07/08/1905	05/25/2022	✓	Yes	39.92744	-77.67606	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Burgess and Town Council	Yes		N/A				
80	Bioretention - Raingarden (A/B soils w/o underdrain)	07/08/1905	05/25/2022	✓	Yes	39.92721	-77.67566	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Burgess and Town Council	Yes		N/A				
81	Bioretention - Raingarden (A/B soils w/o underdrain)	07/08/1905	05/25/2022	✓	Yes	39.92676	-77.67357	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Burgess and Town Council	Yes		N/A				
82	Bioretention - Raingarden (A/B soils w/o underdrain)	07/08/1905	05/25/2022	✓	Yes	39.92746	-77.67295	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Burgess and Town Council		Yes		N/A				
83	Bioretention - Raingarden (A/B soils w/o underdrain)	01/01/1901	05/09/2022	✓	Yes	39.92562	-77.65464	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg Area School District		Yes		N/A				
84	Bioretention - Raingarden (A/B soils w/o underdrain)	07/12/1905	05/24/2022	✓	Yes	39.93038	-77.66192	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Parkview Corner LP		Yes		N/A				
85	Bioretention - Raingarden (A/B soils w/o underdrain)	01/01/1901	05/24/2022	✓	Yes	39.93658	-77.66064	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Borough of Chambersburg (Central Parking Lot)		Yes		N/A				
86	Bioretention - Raingarden (A/B soils w/o underdrain)	07/08/1905	05/24/2022	✓	Yes	39.94993	-77.65089	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Wilson College		Yes		N/A				
87	Bioretention - Raingarden (A/B soils w/o underdrain)	07/11/1905	05/25/2022	✓	Yes	39.95042	-77.65024	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Wilson College		Yes		N/A				
88	Bioretention - Raingarden (A/B soils w/o underdrain)	07/10/1905	05/24/2022	✓	Yes	39.954	-77.63036	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Borough of Chambersburg - Nicholson Square Park		Yes		N/A				
89	Bioretention - Raingarden (A/B soils w/o underdrain)	07/10/1905	05/24/2022	✓	Yes	39.95415	-77.63084	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Borough of Chambersburg - Nicholson Square Park		Yes		N/A				
90	Bioretention - Raingarden (A/B soils w/o underdrain)	07/11/1905	05/24/2022	✓	Yes	39.95507	-77.62944	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Borough of Chambersburg - Nicholson Square Park		Yes		N/A				
91	Dry Detention Basin	06/25/1905	05/20/2022	✓	Yes	39.94292	-77.63902	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Cottage Green Senior Association LP		Yes		N/A				
92	Dry Detention Basin	01/01/1901	05/20/2022	✓	Yes	39.94279	-77.63723	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Susquehanna Bank		Yes		N/A				
93	Dry Detention Basin	01/01/1901	05/20/2022	✓	Yes	39.94325	-77.63741	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg Health Services		Yes		N/A				
94	Dry Detention Basin	01/01/1901	05/20/2022	✓	Yes	39.94391	-77.63879	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Tithonus Chambersburg, LP		Yes		N/A				
95	Dry Detention Basin	01/01/1901	05/20/2022	✓	Yes	39.94441	-77.63966	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Harcorn, LLC		Yes		N/A				
96	Dry Detention Basin	06/22/1905	05/25/2022	✓	Yes	39.94546	-77.63564	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg Health Services		Yes		N/A				
97	Dry Detention Basin	06/30/1905	05/20/2022	✓	Yes	39.9455	-77.63729	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg Advanced Life Support Service Inc.		Yes		N/A				
98	Dry Detention Basin	01/01/1901	05/20/2022		Yes	39.94323	-77.63643	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Susquehanna Bank		Yes		N/A				
99	Dry Detention Basin	07/12/1905	05/20/2022		Yes	39.947328	-77.63985	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
DEHK Enterprises LP (Chambersburg Gastroenterology)		Yes		N/A				
100	Dry Detention Basin	06/28/1905	05/20/2022		Yes	39.93833	-77.64289	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Harold and Pamela Gabler		Yes		N/A				
101	Dry Detention Basin	06/19/1905	05/20/2022		Yes	39.94102	-77.64084	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
St. Paul United Methodist Church		Yes		N/A				
102	Dry Detention Basin	06/30/1905	05/20/2022		Yes	39.94152	-77.63379	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Franklin Financial Properties		Yes		N/A				
103	Dry Detention Basin	06/28/1905	05/20/2022		Yes	39.94077	-77.62929	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg MZL LLC		Yes		N/A				
104	Dry Detention Basin	01/01/1901	05/24/2022		Yes	39.94259	-77.62752	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambersburg MZL LLC		Yes		N/A				
105	Dry Detention Basin	01/01/1901	05/24/2022		Yes	39.93657	-77.63421	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Santay Realty of Chambersburg LLC		Yes		N/A				
106	Dry Detention Basin	01/01/1901	05/24/2022		Yes	39.93602	-77.63285	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
400 Gateway Associates LLC		Yes		N/A				
107	Dry Detention Basin	06/28/1905	04/11/2022		Yes	39.93832	-77.63025	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Penncraft LLC		Yes		N/A				
108	Dry Detention Basin	06/28/1905	05/20/2022		Yes	39.94255	-77.6333	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Onboard Holdings LLC		Yes		N/A				
109	Dry Detention Basin	07/06/1905	05/20/2022		Yes	39.94311	-77.63404	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Onboard Holdings LLC		Yes		N/A				
110	Dry Detention Basin	07/06/1905	05/20/2022		Yes	39.93748	-77.63563	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
North Chambersburg Center LLC		Yes		N/A				
111	Dry Detention Basin	07/03/1905	05/20/2022		Yes	39.93938	-77.63323	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
North Chambersburg Center LLC		Yes		N/A				
112	Dry Detention Basin	06/28/1905	05/20/2022		Yes	39.93981	-77.63324	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Jennings Holdings LLC		Yes		N/A				
113	Dry Detention Basin	06/23/1905	05/20/2022		Yes	39.94218	-77.63373	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Onboard Holdings LLC	Yes		N/A				
114	Dry Detention Basin	07/10/1905	04/11/2022	✓	Yes	39.93613	-77.63225	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Zanes Hotels LLC	Yes		N/A				
115	Dry Detention Basin	07/11/1905	05/24/2022	✓	Yes	39.93418	-77.63292	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Great Woods Real Estate	Yes		N/A				
116	Dry Detention Basin	06/22/1905	05/20/2022	✓	Yes	39.93535	-77.64023	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Robert and Cynthia Richards	Yes		N/A				
117	Dry Detention Basin	07/05/1905	04/25/2022	✓	Yes	39.93106	-77.63935	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	McDonald's USA LLC	Yes		N/A				
118	Dry Detention Basin	06/20/1905	05/20/2022	✓	Yes	39.93319	-77.63545	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Crossroads Park III Owners Association	Yes		N/A				
119	Dry Detention Basin	06/17/1905	05/25/2022	✓	Yes	39.92595	-77.63691	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	1144 Kennebec Road Partners LLC	Yes		N/A				
120	Dry Detention Basin	07/01/1905	05/09/2022	✓	Yes	39.92623	-77.63766	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Franklin County Teacher's Credit Union	Yes		N/A				
121	Bioretention - Raingarden (A/B soils w/o underdrain)	01/01/1901	05/25/2022	✓	Yes	39.94226	-77.65599	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Grayfox Properties, LLC		Yes		N/A				
122	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/25/2022		Yes	39.94404	-77.6431	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Keystone Rural Health Center		Yes		N/A				
123	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/25/2022		Yes	39.94422	-77.64318	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Keystone Rural Health Center		Yes		N/A				
124	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/20/2022		Yes	39.94342	-77.64134	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chambers Hill Building 4		Yes		N/A				
125	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/20/2022		Yes	39.94328	-77.64162	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Keystone Rural Health Center		Yes		N/A				
126	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/20/2022		Yes	39.94306	-77.64148	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chamber's Hill Building Three Owners Association		Yes		N/A				
127	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/20/2022		Yes	39.94323	-77.64063	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
Chamber's Hill Building Three Owners Association		Yes		N/A				
128	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/23/2022		Yes	39.94263	-77.64178	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chamber's Hill Building Three Owners Association	Yes		N/A				
129	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/23/2022	✓	Yes	39.9423	-77.64241	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Keystone Rural Health Center	Yes		N/A				
130	Bioretention - Raingarden (A/B soils w/o underdrain)	07/08/1905	05/20/2022	✓	Yes	39.94317	-77.63487	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Geoffrey A. Royer	Yes		N/A				
131	Bioretention - Raingarden (A/B soils w/o underdrain)	07/07/1905	05/25/2022	✓	Yes	39.94261	-77.64259	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Keystone Rural Health Center	Yes		N/A				
132	Bioretention - Raingarden (A/B soils w/o underdrain)	01/01/1901	05/20/2022	✓	Yes	39.946052	-77.637138	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Hospital	Yes		N/A				
133	Bioretention - Raingarden (A/B soils w/o underdrain)	07/06/1905	05/20/2022	✓	Yes	39.93918	-77.62666	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Health Services	Yes		N/A				
134	Bioretention - Raingarden (A/B soils w/o underdrain)	07/06/1905	05/20/2022	✓	Yes	39.93886	-77.63374	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	North Chambersburg Center LLC	Yes		N/A				
135	Bioretention - Raingarden (A/B soils w/o underdrain)	07/06/1905	05/20/2022	✓	Yes	39.93871	-77.63551	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	North Chambersburg Center LLC	Yes		N/A				
136	Bioretention - Raingarden (A/B soils w/o underdrain)	07/06/1905	05/20/2022	✓	Yes	39.93952	-77.63544	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	North Chambersburg Center LLC	Yes		N/A				
137	Bioretention - Raingarden (A/B soils w/o underdrain)	07/06/1905	05/23/2022	✓	Yes	39.94132	-77.63584	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	ACNB Bank	Yes		N/A				
138	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/20/2022	✓	Yes	39.94182	-77.63755	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Corning Federal Credit Union	Yes		N/A				
139	Bioretention - Raingarden (A/B soils w/o underdrain)	07/01/1905	05/23/2022	✓	Yes	39.9413	-77.63514	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Pooh LLC, C/O The Zucker Organization	Yes		N/A				
140	Bioretention - Raingarden (A/B soils w/o underdrain)	07/01/1905	05/23/2022	✓	Yes	39.9417	-77.63464	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Chambersburg Pooh LLC, C/O The Zucker Organization	Yes		N/A				
141	Bioretention - Raingarden (A/B soils w/o underdrain)	07/03/1905	05/23/2022	✓	Yes	39.93527	-77.63182	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:	Description:			
	Kenneth Stake	Yes		N/A				
142	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/20/2022	✓	Yes	39.94256	-77.63499	

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satisfactory	Active	Latitude	Longitude	Drain Area
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Sonic Outpost Chambersburg Land LLC		Yes		N/A				
143	Bioretention - Raingarden (A/B soils w/o underdrain)	07/12/1905	04/11/2022	✓	Yes	39.93652	-77.63268	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Chambersburg Gateway Plaza Shopping Center LLC		Yes		N/A				
144	Bioretention - Raingarden (A/B soils w/o underdrain)	07/02/1905	05/09/2022	✓	Yes	39.92688	-77.63868	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Scotland Road Market		Yes		N/A				
145	Bioretention - Raingarden (A/B soils w/o underdrain)	07/01/1905	05/25/2022	✓	Yes	39.93158	-77.6349	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
FAM Group LLC		Yes		N/A				
146	Bioretention - Raingarden (A/B soils w/o underdrain)	07/04/1905	04/11/2022	✓	Yes	39.93928	-77.63077	
Entity Responsible for O&M:		O&M Requirements:		Permit Number:		Description:		
Reyjoyce LLC		Yes		N/A				
2. Has proper O&M occurred during the reporting period for all PCSM BMPs? No								
3. If No to #2, explain what action(s) the permittee has taken or plans to take to ensure proper O&M. During this reporting period we had minor violations and have been successful in working with developers, landowners and contractors in addressing these violations in a timely manner. The violations were mainly maintenance issues relating to new and current storm sewer system structures, BMPs, and vegetation control or remediation. (If you are relying on PA's statewide program for stormwater associated with construction activities, you may skip to MCM #6, otherwise complete all questions for BMPs #4 - #6 in this section.) BMP #4: Require the implementation of a combination of structural and/or non-structural BMPs that are appropriate to the local community, that minimize water quality impacts, and that are designed to maintain pre-development runoff conditions.								
1. Specify the number of PCSM Plans reviewed during the reporting period for projects disturbing greater than or equal to one acre (including projects less than one acre that are part of a larger common plan of development or sale). Not Applicable								
2. Has a tracking system been established and maintained to record qualifying projects and their associated BMPs? Not Applicable								

BMP #5: Ensure that controls are installed that shall prevent or minimize water quality impacts. The permittee shall inspect all qualifying development or redevelopment projects during the construction phase to ensure proper installation of the approved structural PCSM BMPs. A tracking system (e.g., database, spreadsheet, or written list) shall be implemented to track the inspections conducted and to track the results of the inspections (e.g., BMPs were, or were not, installed properly).

1. During the reporting period have you inspected all qualifying development and redevelopment projects during the construction phase to ensure proper installation of approved structural BMPs?

Not Applicable

2. Has a tracking system been established and maintained to record results of inspections?

Not Applicable

BMP #6: Develop a written procedure that describes how the permittee shall address all required components of this MCM.

Have you developed a written plan that addresses: 1) minimum requirements for use of structural and/or non-structural BMPs in plans for development and redevelopment; 2) criteria for selecting and standards for sizing stormwater BMPs; and 3) implementation of an inspection program to ensure that BMPs are properly installed?

Not Applicable

MCM #5 Comments:

MCM #5 Attachments:

File Name	Document Type	Short Description
Construction Site Stormwater Runoff Control.pdf	MCM 4 MOU	MCM 4 MOU

MCM #6 – Pollution Prevention / Good Housekeeping Module

BMP #1: Identify and document all operations that are owned or operated by the permittee and have the potential for generating pollution in stormwater runoff to the MS4. This includes activities conducted by contractors for the permittee.

1. Have you identified all facilities and activities owned and operated by the permittee that have the potential to generate stormwater runoff into the MS4?

Yes

2. When was the inventory last reviewed?

01/30/2026

3. When was it last updated?

01/20/2025

BMP #2: Develop, implement and maintain a written O&M program for all operations that could contribute to the discharge of pollutants from the MS4, as identified under BMP #1. This program shall address stormwater collection or conveyance systems within the regulated MS4.

1. Have you developed a written O&M program for the operations identified in BMP #1?

Yes

2. Date of last review or update to written O&M program:

01/30/2026

BMP #3: Develop and implement an employee training program that addresses appropriate topics to further the goal of preventing or reducing the discharge of pollutants from operations to the regulated small MS4. All relevant employees and contractors shall receive training.

1. Have you developed an employee training program?

Yes

2. Date of last review or update to training program:

01/30/2026

Date of latest training:

06/25/2026

3. Training topics covered:

Construction/Maintenance project progress and GHD design progress

4. Name(s) of training presenter(s):

Andy Stottlemeyer, Storm Sewer System Manager

5. Names of training attendees:

Rob Nolan, Storm Sewer System Inspector Penny Morrison, Utility Secretary

MCM #6 Comments:

MCM #6 Attachments:

File Name	Document Type	Short Description
6-25-2026.pdf	Stormwater Educational Materials	Storm Sewer Staff Training
Employee Training Program.pdf	Stormwater Training Program	Employee Training Program

Appendix Selection

Review and select the appropriate appendices below. If none of the appendices apply, select None.

☐ Appendix A ☐ Appendix B ☐ Appendix C ☒ Appendix D ☐ Appendix E ☐ Appendix F

☐ None

Pollutant Reduction Plans (PRPs) and TMDL Plans Module

1. Complete this section if the development and submission of a PRP and/or TMDL Plan was required as an attachment to the latest NOI or application or was required by the permit, regardless of whether DEP has approved the plan(s).

Type of Plan	Pending Approval	Submission Date	DEP Approval Date	Surface Waters Addressed by Plan
Chesapeake Bay PRP (Appendix D)		09/15/2017	06/01/2018	Conococheague Creek
Impaired Waters PRP (Appendix E)				
TMDL Plan (Appendix F)				
Combined Chesapeake Bay / Impaired Waters PRP (include Chesapeake Bay in your entry)				
Combined PRP / TMDL Plan				

Joint Plan

☐

(if checked, list the name of the MS4 group or names of all entities participating in the joint plan below)

Joint Plan Participants:

2. Identify the pollutants of concern and pollutant load reduction requirements under the permit.

Type of Plan	Select	TSS Load Reduction (lbs/yr)	TP Load Reduction (lbs/yr)	TN Load Reduction (lbs/yr)
Chesapeake Bay PRP (Appendix D)	☒	416,925		
Impaired Waters PRP (Appendix E)	☐			
TMDL Plan (Appendix F)	☐			
Combined Chesapeake Bay / Impaired Waters PRP	☐			
Combined PRP / TMDL Plan	☐			

3. Date Final Report Demonstrating Achievement of Pollutant Load Reductions Due:

09/30/2025

4. Have any modifications to the plan(s) occurred since DEP approval?

Yes

• If **Yes** to #4, was the updated plan(s) submitted to DEP?

Yes

• If **Yes** to #4, did you comply with the public participation requirements of the applicable appendix?

Yes

• If **Yes** to #4, describe the plan modifications.

Slight plan modifications have been made in order to implement BMPs that were not originally included in the approved Chesapeake Bay Pollutant Reduction Plan. DEP continues to be consulted for all BMP proposals and implementation.

5. Summary of progress achieved during reporting period.

Eleven of our proposed Chesapeake Bay Pollutant reduction best management practices have been implemented. This has resulted in a 146,708 lbs/year nutrient reduction (35% of goal).

6. Anticipated activities for next reporting period.

We will continue working towards implementing the impervious coverage fee structure in order to generate the revenue that we need to design and construct the proposed best management practices. We will also continue implementing our Chesapeake Bay Pollutant Reduction Plan as well as searching for funds for our projects.

PRP/TMDL Comments:

PRP/TMDL Plan Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

BMPs For PRP/TMDL Plan Implementation Module Tables

New BMPs For PRP/TMDL Plan Implementation Table

Table 2. List all new structural BMPs installed and ongoing non-structural BMPs implemented during the reporting period that are being used toward achieving load reductions in the permittee's PRP and/or TMDL Plan.

If you are a member of a regional PRP, report only those BMPs implemented within your municipal boundary. If you are reporting a joint BMP in which credit is shared with another permittee(s), report only your portion of the BMP credit.

Note: Any new BMP data entered will be prepopulated in the next reporting year.

BMP No.	BMP Name	Date Installed	Annual Sediment Load Reduction (lbs/year)	Satisfactory	Active	Latitude	Longitude	Drain Area
No data available in table								

BMP Inventory For PRP/TMDL Plan Implementation Table

Table 3. All existing structural BMPs that have been installed in prior reporting periods and are eligible to use toward achieving load reductions in the permittee's PRP and/or TMDL Plan

BMP No.	BMP Name	Date Installed	Annual Sediment Load Reduction (lbs/year)	Satisfactory	Active	Latitude	Longitude	Drain Area
1	Infiltration Practices w/ Sand, veg.	11/01/2017	3,879		Yes	39.9467	-77.6379	6
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
Yes		No		No		07/11/2022		
List MS4 Collaborators:				Description:				
2	Bioretention - Raingarden (C/D soils w/ underdrain)	05/01/2018	2,766		Yes	39.9396	-77.6597	2.39
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		05/23/2022		
List MS4 Collaborators:				Description:				
3	Permeable Pavement w/o Sand of Veg. (A/B Soils w/o underdrain)	03/01/2018	81		Yes	39.9397	-77.6597	.06

BMP No.	BMP Name	Date Installed	Annual Sediment Load Reduction (lbs/year)	Satisfactory	Active	Latitude	Longitude	Drain Area
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
0				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		05/23/2022		
List MS4 Collaborators:				Description:				
4	Bioretention - Raingarden (A/B soils w/o underdrain)	06/01/2018	237		Yes	39.9365	-77.6606	.17
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		05/25/2022		
List MS4 Collaborators:				Description:				
5	Infiltration Practices w/ Sand, veg.	12/01/2019	4,785		Yes	39.9291	-77.6621	7.4
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		07/12/2022		
List MS4 Collaborators:				Description:				
6	Filtering Practices	06/01/2021	352		Yes	39.9465	-77.6713	5.83
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Acres		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		07/11/2022		
List MS4 Collaborators:				Description:				

BMP No.	BMP Name	Date Installed	Annual Sediment Load Reduction (lbs/year)	Satisfactory	Active	Latitude	Longitude	Drain Area
7	Infiltration Practices w/ Sand, veg.	03/14/2023	386		Yes	39.9319	-77.6524	.42
	% Impervious:	BMP Extent:		Units:		BMP in Planning Area:		
	47			Feet		Yes		
	Bmp Completed for Chapter 102:	Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
	No	No		No		03/14/2023		
	List MS4 Collaborators:			Description:				
8	Vegetated Open Channels (A/B soils)	02/03/2023	80,938		Yes	39.9196	-77.6646	432.3
	% Impervious:	BMP Extent:		Units:		BMP in Planning Area:		
	47			Feet		Yes		
	Bmp Completed for Chapter 102:	Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
	No	No		No		02/03/2023		
	List MS4 Collaborators:			Description:				
9	Stream Restoration - Default Rate	07/01/2021	11,220		Yes	39.9399	-77.6542	
	% Impervious:	BMP Extent:		Units:		BMP in Planning Area:		
		250		Feet		Yes		
	Bmp Completed for Chapter 102:	Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
	No	No		No		07/07/2023		
	List MS4 Collaborators:			Description:				
10	Infiltration Practices w/ Sand, veg.	12/01/2023	7,274		Yes	39.9409	-77.6630	7.1

BMP No.	BMP Name	Date Installed	Annual Sediment Load Reduction (lbs/year)	Satisfactory	Active	Latitude	Longitude	Drain Area
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Acres		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		12/01/2023		
List MS4 Collaborators:				Description:				
11	Infiltration Practices w/ Sand, veg.	12/12/2023	21,750		Yes	39.9428	-77.6627	21.3
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Acres		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		12/12/2023		
List MS4 Collaborators:				Description:				
12	Bioretention - Raingarden (A/B soils w/o underdrain)	12/01/2023	7,652		Yes	39.9434	-77.6624	7.9
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Acres		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		12/01/2023		
List MS4 Collaborators:				Description:				
13	Vegetated Open Channels (A/B soils)	12/01/2023	2,392		Yes	39.9445	-77.6618	2.5
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		12/01/2023		
List MS4 Collaborators:				Description:				

BMP No.	BMP Name	Date Installed	Annual Sediment Load Reduction (lbs/year)	Satisfactory	Active	Latitude	Longitude	Drain Area
14	Vegetated Open Channels (A/B soils)	07/07/2023	1,749		Yes	39.9457	-77.6611	1.8
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		07/07/2023		
List MS4 Collaborators:				Description:				
15	Infiltration Practices w/ Sand, veg.	11/01/2023	471		Yes	39.9343	-77.6584	0.46
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Acres		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		11/01/2023		
List MS4 Collaborators:				Description:				
16	Infiltration Practices w/ Sand, veg.	09/26/2024	776		Yes	39.936425	-77.663685	0.46
% Impervious:		BMP Extent:		Units:		BMP in Planning Area:		
47				Feet		Yes		
Bmp Completed for Chapter 102:		Collaborative BMP:		Retrofit:		Date of Latest Inspection:		
No		No		No		06/25/2025		
List MS4 Collaborators:				Description:				

Reviewer Comment(s) & User Response(s)		
Reviewer/User Name	Date Added	Comment/Response
No data available in table		

Certification	
---------------	---

- 1 **Login to GreenPort and go to launch the MS4 Annual Reporting System.**
- 2 **Review this MS4 Report.**
- 3 **Sign the Report.**

After the report is signed by all responsible officials, you will be able to submit the report.

For PAG-13 Permittees: I have read the latest PAG-13 General Permit issued by DEP and agree and certify that (1) the permittee continues to be eligible for coverage under the PAG-13 General Permit and (2) the permittee will continue to comply with the conditions of that permit, including any modifications thereto. I understand that if I do not agree to the terms and conditions of the PAG-13 General Permit, I will apply for an individual permit within 90 days of publication of the General Permit. I also acknowledge that any facility construction needed to comply with the General Permit requirements shall be designed, built, operated, and maintained in accordance with operative laws and regulations.

For All Permittees: I certify under penalty of law that this report was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

CHAMBERSBURG BORO FRANKLIN CNTY - Signature

Name of Responsible Official:

Andrew Stottlemeyer

Telephone No.:

7172512434

Signature:



Document Signed

Date Signed:

08/04/2026 09:02 AM